

#### SECTION 1 - PRODUCT AND COMPANY INFORMATION

**Product Name:** M8 Detection Paper

**Company:** Nextteg LLC

8406 Benjamin Road, Suite J

Tampa, FL 33634 (813) 249-5888 (877) 312-2333

## SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Substance Name: M8 Detection Paper

| Ingredient Names: |          | CAS #                              | Chemical Formulas:  |
|-------------------|----------|------------------------------------|---|
| 1) Dye Red E      | 0.4-0.8% | 1) 60033-00-3                      | 1) $C_{57}H_{46}N_6O_4$   |
| 2) Dye Green EDA  | 0.7-1.3% | 2) 5833-18-1                       | 2) $C_{16}^{3}H_{12}^{3}N_{4}^{3}O_{10}^{3}$                                    |
| 3) Dye Yellow A2  | 0.8-1.6% | 3) 8003-87-0                       | 3) $C_{26}^{\circ}H_{18}^{\circ}N_4O_6^{\circ}S_2Na$                            |
| 4) Rosin          | 2%       | 4) 8050-09-7                       | 4) $C_{20}^{-0}H_{30}^{-0}O_2$ plus other mixes of abietic anhydride and 10% of |
| 5) Alum           | 3%       | 5) 7784-24-9                       | neutral matter.   |
| 6) Paper pulp     | Balance  | <ol><li>6) not available</li></ol> | 5) $AIH_{24}KO_{20}S_2$   |
|                   |          |                                    | 6) not available  |

### **SECTION 3 – HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** Irritant. Irritating to eyes and skin.

### **Exposure Limits**

Dye Red

Not established by ACGIH

Dye Green

Not established by ACGIH

Dye Yellow A2

Not established by ACGIH

Rosir

Not established by ACGIH

Alum.

ACGIH-TLV: TWA 2 mg/m<sup>3</sup>

Paper pulp

Not established by ACGIH

### **SECTION 4 – FIRST AID MEASURES**

**ORAL EXPOSURE:** If swallowed, wash mouth out with water (provided person is conscious). Call a physician.

**DERMAL EXPOSURE:** In case of contact, immediately wash skin with soap and water. If irritation occurs or persists, seek medical attention.



**EYE EXPOSURE**: In case of contact, immediately flush eyes with clean water, including under eyelids for at least 15 minutes. If irritation occurs or persists, seek medical attention.

## **SECTION 5 - FIRE FIGHTING MEASURES**

FLASH POINT: N/A

**AUTOIGNITION TEMP**: N/A **FLAMMABILITY**: N/A

### **EXTINGUISHING MEDIA:**

Suitable: Dry chemical powder, carbon dioxide, foam, or water spray.

### **FIREFIGHTING**

**Protective Equipment:** Wear self-contained breathing apparatus with full face piece operated in a pressure demand or other positive pressure mode and protective clothing to prevent contact with skin and eyes.

**Specific Hazard(s):** Emits toxic fumes under fire conditions.

Fire Degradation Products: Oxides of carbon, sulfur, metal, and nitrogen.

EXPOSURE HAZARD(S): Material: Irritant.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

N/A

#### **SECTION 7 - HANDLING AND STORAGE**

#### HANDLING:

**User Exposure:** Avoid contact and inhalation. Do not get in eyes, on skin, on clothing.

#### STORAGE:

Suitable: Store in a cool dry place. Store away from incompatible materials and potential sources of ignition.

### SECTION 8 - EXPOSURE CONTROLS / PPE

**ENGINEERING CONTROLS:** Do not use in unventilated spaces.

**PERSONAL PROTECTIVE EQUIPMENT:** Wear eye protection, chemical resistant clothing, and chemical impervious gloves in accordance with OSHA and NIOSH standards.

**GENERAL HYGIENE MEASURES:** Do not smoke, eat, or drink while handling. Wash hands after use and before smoking, eating, drinking, applying cosmetics, inserting or removing contact lenses and dentures or other invasive medical devices.

# **SECTION 9 - PHYSICAL/CHEMICAL PROPERTIES**

Appearance: Solid. Beige/Tan. Odorless.

### **SECTION 10 – STABILITY AND REACTIVITY**

Stability: Stable.

Conditions to Avoid: High temperatures. Sparks. Open flames and all other sources of ignition.



#### SECTION 11 - TOXICOLOGICAL INFORMATION

### **ROUTE OF EXPOSURE**

**Eye:** Because this is a solid material and not a powder or dust, it is not expected to be a route of exposure. If paper comes into contact with eyes, flush immediately with clean water, including under eyelids for not less than 15 minutes.

**Skin:** Repeated or prolonged skin contact may cause dermatitis. In case of contact with skin, immediately wash exposed area with soap and water.

Inhalation: This product is not considered an inhalation hazard because it is not a powder or dust.

**Ingestion:** No specific information is available on ingestion of this material. Do not eat, drink, take internally or consume M8 Detection Paper. Consuming M8 Detection Paper may result in serious injury or death. If ingested and conscious, wash out mouth with water. Seek immediate medical attention.

## SIGNS AND SYMPTOMS OF EXPOSURE:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12 - ECOLOGICAL INFORMATION**

Not available.

### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Dispose in accordance with all federal, state, and local environmental regulations and statutes.

### **SECTION 14 - TRANSPORT INFORMATION**

Ship or transport this product in accordance with all federal, state and local laws and regulations, including federal DOT, OSHA, and FAA regulations.

#### **SECTION 15 - REGULATORY INFORMATION**

### UNITED STATES REGULATORY INFORMATION SARA LISTED

This product contains chromium compounds which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372.

### **SECTION 16 – SPECIAL PRECAUTIONS & COMMENTS**

Class of Users: This product is only to be sold to, only for use by, and only for storage by trained, qualified, professional industrial or commercial users.

**Handling & Storage:** Store in the original container in a cool dry place. Protect against light, heat, moisture, and physical damage.



### **SECTION 17 - DISCLAIMER OF WARRANTIES**

THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE PROVIDED FREE WITHOUT CHARGE SOLELY FOR USE BY QUALIFIED INDUSTRIAL OR COMMERCIAL USERS AT THEIR DISCRETION AND RISK. READ, UNDER-STAND, AND COMPLY WITH ALL INSTRUCTIONS, WARNINGS, LABELS, AND MANUALS BEFORE USING AND WHILE USING NEXTTEQ'S PRODUCTS. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE BASED UPON DATA AND OTHER INFORMATION THAT NEXTTEQ BELIEVES TO BE CORRECT AND COMPLETE AS OF THE DATE ISSUED, BUT THE ACCURACY AND COMPLETENESS THEREOF IS NOT GUARANTEED AND NO WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE INFORMATION OR RECOMMENDATIONS CONTAINED IN THIS DOCUMENT. THIS INFORMATION IS NOT INTENDED AS A LICENSE TO OPERATE UNDER OR A RECOMMENDATION TO PRACTICE OR TO INFRINGE UPON ANY PATENT, TRADEMARK, TRADE SECRET, OR PROPRIETARY INFORMATION OF NEXTTEQ OR OTHERS COVERING ANY PROCESS. COMPOSITION, MATTER, OR USE. THE USER IS RESPONSIBLE FOR DETERMINING WHETHER THE PRODUCT OR COMPO-NENT IS FIT FOR A PARTICULAR PURPOSE AND SUITABLE FOR THE USER'S METHOD OF USE OR APPLICATION. GIVEN THE VARIETY OF FACTORS THAT CAN AFFECT THE USE AND APPLICATION OF A PRODUCT OR COMPONENT, SOME OF WHICH ARE UNIQUELY WITHIN THE USER'S KNOWLEDGE OR CONTROL, IT IS ESSENTIAL THAT THE USER EVALUATE THE PRODUCT OR COMPONENT TO DETERMINE WHETHER THE PRODUCT OR COMPONENT IS FIT FOR A PARTICULAR PURPOSE AND AD-DITIONALLY SUITABLE FOR USER'S METHOD OF USE OR APPLICATION AND SUITABLE FOR THE TEST SUBJECT. NEXTTEQ'S WARRANTY IS SET FORTH IN NEXTTEQ'S TERMS AND CONDITIONS OF SALE MADE BY NEXTTEQ AND ACCEPTED BY BUYER IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY OTHER AFFIRMATION OF FACT, RECOMMENDATION, OR PROMISE THAT RELATES TO THE GOODS, THIS DOCUMENT, OR ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY, WHICH ARE EXPRESSLY DISCLAIMED. THIS PRODUCT OR COMPONENT IS ONLY FOR SALE TO, FOR USE BY, AND FOR STORAGE BY A TRAINED, QUALIFIED, PROFESSIONAL, COM-MERCIAL, OR INDUSTRIAL USER. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION SET FORTH IN NEXTTEQ'S TERMS AND CONDITIONS OF SALE. NEXTTEQ SHALL NOT BE LIABLE FOR DIRECT OR INDIRECT CONSEQUENTIAL, INCIDENTAL, STATUTORY, PUNITIVE, OR OTHER DAMAGES OR LOSS RESULTING FROM THE PROPER OR IMPROPER USE OF EITHER THE PRODUCT OR COMPONENT SOLD BY NEXTTEQ OR ANY INFORMATION OR RECOMMENDATION CONTAINED IN THIS DOCUMENT.

### **SECTION 18 - LIMITATION OF DAMAGES**

THE PARTIES HERETO AGREE THAT BUYER'S SOLE AND EXCLUSIVE DAMAGES FOR SELLER'S BREACH SHALL BE LIMITED TO THE PRICE OF THE GOODS SOLD AND THAT ALL OTHER DAMAGES, INCLUDING BUT NOT LIMITED TO, CONSEQUENTIAL, INCIDENTAL, EXEMPLARY, PUNITIVE, AND STATUTORY DAMAGES ARE EXCLUDED. THE PARTIES FURTHER AGREE THAT THIS LIMITATION OF DAMAGES PROVISION IS INDEPENDENT OF THE LIMITATION OF REMEDIES PROVISION AND WILL BE ENFORCEABLE EVEN IF A REMEDY FAILS ITS ESSENTIAL PURPOSE.

### **SECTION 19 - LIMITATION OF REMEDIES**

THE PARTIES HERETO AGREE THAT BUYER'S SOLE AND EXCLUSIVE REMEDY AGAINST THE SELLER SHALL BE, AT SELLER'S OPTION, (1) REPAIR OF THE DEFECTIVE GOODS (2) REPLACEMENT OF THE DEFECTIVE GOODS OR (3) REPAYMENT OF THE PURCHASE PRICE OF THE DEFECTIVE GOODS. IF SELLER IS UNABLE TO PROVIDE ANY SELECTED REMEDY, SELLER MAY ELECT TO PROVIDE BUYER WITH ANY REMAINING EXCLUSIVE REMEDY UNTIL ALL EXCLUSIVE REMEDIES HAVE BEEN EXHAUSTED. THE NUMBER OF REMEDIES PROVIDED AND THE ORDER IN WHICH THE REMEDIES ARE PROVIDED SHALL BE DETERMINED SOLELY BY THE SELLER. THIS EXCLUSIVE REMEDY IS ONLY AVAILABLE TO THE BUYER IF BUYER RETURNS THE DEFECTIVE GOODS TO SELLER FOR INSPECTION AND SELLER'S INSPECTION DETERMINES A DEFECT EXISTS AND THAT THE DEFECT WAS NOT CAUSED IN WHOLE OR IN PART BY THE BUYER OR BY ANYONE'S USE, OPERATION, STORAGE, MAINTENANCE, REPAIR, HANDLING, OR TRANSPORTATION OF THE DEFECTIVE GOODS WHICH WAS INCONSISTENT WITH SELLER'S OR THE MANUFACTURER'S SPECIFICATIONS, INSTRUCTIONS, OR WARNINGS.